



COTIZACIÓN

From:

Punto SYS
Edgar Arturo Roseyón Moreno
RFC: ROME790310KR0
Correo: edgarroseyon@gmail.com
Banco Santander MXN
Cuenta: 60591514733
Clabe Interbancaria: 014375605915147336

To:

DSBJ
compras@mx.dsbj.com

Cotización Number	COT-303
Cotización Date	junio 26, 2023

TOTAL	\$204,410.22
--------------	---------------------



CANT	DESCRIPCIÓN	PRECIO	DESCUENTO	SUB TOTAL
1	<p>PowerEdge R650 Server Descripción= FRONT STORAGE: 10x2.5 Front Storage BACKPLANE: SAS/SATA Backplane REAR STORAGE: No Rear Storage Base: PowerEdge R650 Server Trusted Platform Module: Trusted Platform Module 2.0 V3 Chassis Configuration: 2.5" Chassis with up to 10 Hard Drives (SAS/SATA), 1 PCIe Slot, 1 CPU Processor: Intel® Xeon® Gold 5317 3G, 12C/24T, 11.2GT/s, 18M Cache, Turbo, HT (150W) DDR4-2933 Additional Processor: No Additional Processor Processor Thermal Configuration: Heatsink for 1 CPU configuration (CPU less than or equal to 165W) Memory Configuration Type: Performance Optimized Memory DIMM Type and Speed: 3200MT/s RDIMMs Memory Capacity: (8) 8GB RDIMM, 3200MT/s, Single Rank RAID Configuration: C3, RAID 1 for 2 HDDs or SSDs (Matching Type/Speed/Capacity) RAID/Internal Storage Controllers: Front PERC H755 Rear Load Hard Drives: (2) 480GB SSD SATA Mix Use 6Gbps 512 2.5in Hot-plug AG Drive, 3 DWPD BIOS and Advanced System Configuration Settings: Power Saving Dell Active Power Controller Advanced System Configurations: UEFI BIOS Boot Mode with GPT Partition Fans: 3 High Performance Fans for 1 CPU Power Supply: Dual, Hot-plug, Power Supply Fully Redundant (1+1), 1400W, Mixed Mode, NAF Power Cords: (2) NEMA 5-15P to C13 Wall Plug, 125 Volt, 15 AMP, 10 Feet (3m), Power Cord, North America Power Cords: (2) C13 to C14, PDU Style, 12 AMP, 13 Feet (4m) Power Cord, North America PCIe Riser: Riser Config 0, 1CPU, Half Length, Low Profile, 1 x16 Slot Motherboard: PowerEdge R650 Motherboard with Broadcom 5720 Dual Port 1Gb On-Board LOM Embedded Systems Management: iDRAC9, Enterprise 15G Network Daughter Card: Broadcom 5720 Quad Port 1GbE BASE-T Adapter, OCP NIC 3.0 Bezel: LCD Bezel for x8 and x10 Chassis Boot Optimized Storage Cards: No BOSS Card Quick Sync: No Quick Sync Password: iDRAC,Factory Generated Password Group Manager: iDRAC Group Manager, Disabled Operating System: Windows Server 2022 Standard,16CORE,FI,No Med,No CAL, Multi Language OS Media Kits: Windows Server 2022 Standard,16CORE,DF Recovery Image, Multi Lang, (Downgrade not included) Licenses: (6) Windows Server 2022 Standard Edition, Add License,2CORE,NO MEDIA/KEY Client Access Licenses: (2) 50-pack of Windows Server 2022/2019 Device CALs (Standard or Datacenter) Rack Rails: ReadyRails Sliding Rails With Cable Management Arm System Documentation: No Systems Documentation, No OpenManage DVD Kit SHIPPING: PowerEdge R650 Shipping</p>	\$195,795.23	-10%	\$176,215.71



COTIZACIÓN

Sub Total	\$176,215.71
IVA	\$28,194.51

TOTAL	\$204,410.22
--------------	---------------------

Se requiere del 100% de anticipo para hardware y software, y el resto de la mano de obra al finalizar el proyecto.

Válido por 15 días a partir de la fecha del documento.